

HEAT TREAT EQUIPMENT

Quality Used Heat Treating Equipment

Item C-0156 – Furnace – Batch Temper - Atmosphere

Manufacturer: Park Thermal
Type: Batch Temper Atmosphere Furnace
Serial Number: P4434
Workable Dim's: 48" wide x 106" deep x 40" high
Overall Size: 10'6" wide x 17' deep x 13'3" high (with mast)
Heated: Electric, 480V / 3-Phase / 60Hz, 175 KW
Capacity: 15,000 pounds
Maximum Temp: 1600°F

General: One (1) zone, 175 KW
Two (2) air-cooled fans
Atmosphere: Nitrogen flow meter
Load table in front
Three (3) roller rails
Pneumatic vertical rising door with clamps
Ceramic fiber on walls & roof, cast floor
Rod overbend heaters on walls, floor & door
Cooling tubes inside furnace (indirect cooling) with blower
Type K thermocouple
Cast reversible trays (36"x54"x2.5"high), three (3) tracks on
11" centers, two (2) handles on each end

Controls: Free-standing control panel
Honeywell DCP301 controller
Honeywell DC2500 high limit controller
Honeywell DR4301 circular chart recorder

NOTE: equipment is sold "AS IS, WHERE IS" and buyer shall indemnify seller against and hold seller harmless from any and all claims, actions and damages arising out of the possession, operation, condition or use of the equipment.

HEAT TREAT EQUIPMENT

Quality Used Heat Treating Equipment

Item C-0156 – Furnace – Batch Temper - Atmosphere

Seller suggests that you contact the manufacture for important information pertaining to safety and proper use and operation of the above equipment. For safety reasons, we request that you do not place the equipment into service until you have received current safety instructions from the manufacturer.

Specifications are taken with care, but are not certified.
No warranties or guarantees, written or implied.



HEAT TREAT EQUIPMENT

Quality Used Heat Treating Equipment

Item C-0156 – Furnace – Batch Temper - Atmosphere



HEAT TREAT EQUIPMENT

Quality Used Heat Treating Equipment

Item C-0156 – Furnace – Batch Temper - Atmosphere



PARK THERMAL INT'L. (1996) CORP. Tel. (905) 877-5254					
SERIAL NUMBER	P4434		MAX TEMP	1600 F	
COMBUSTION RATING		BTU/HR	FUEL		
APPLIANCE TYPE			INLET PRESS.		
MAX BURNER		IN WC	MIN BURNER		IN WC
MANIFOLD PRESS.			MANIFOLD PRESS.		
ZONES	<input type="checkbox"/>	ZONE 1		BTU/HR	ZONE 2
PURGE TIME				BTU/HR	
DESIGN STANDARD					
ELECTRICAL RATING	175	KW/HR	227	AMPS	
POWER	400	VOLTS	3	PHASE	
			60	HERTZ	
CONTROL	120	VOLTS	1	PHASE	
			60	HERTZ	
ZONES	<input type="checkbox"/>	ZONE 1		KW	ZONE 2
				KW	

HEAT TREAT EQUIPMENT

Quality Used Heat Treating Equipment

Item C-0156 – Furnace – Batch Temper - Atmosphere

