

Quality Used Heat Treating Equipment

Item UV-1083 – Furnace –IQ with Top Cool, 36x48x30

Manufacture:	Holcroft
Type:	IQ Furnace with Top Cool
Furnace Number:	25656
Max Fuel Demand:	Natural Gas – 1,000 / CFH
Max Temp:	1850°F
Power:	480V, 3-Phase, 60 Hz
Oil Heaters:	54 KW
Working Dim's:	36" wide x 48" deep x 30" high
Quench Tank:	3,000 gallon capacity
Includes:	High flow 30,000 GPM quench agitation system
	Two-speed quench agitation
	Reverse quench agitation
	54 KW quench heating for 460 V, 160°F operation
	System #1 automatic internal handling
	Heavy duty 5" dia super alloy rollers and rails
	Natural gas enriching gas control valve
	Automatic nitrogen purge
	Recuperation
Controls:	Air conditioned control panel
	Barber Coleman
	Quench oil temperature
	Furnace temperature
	Oil temperature
	Carbon control
	Quench guards
Flow Meters:	Nitrogen, (2) endos, natural gas, air, ammonia
	Nat gas & ammonia have proportional port vales for control

HEAT TREAT EQUIPMENT

Quality Used Heat Treating Equipment

Item UV-1083 – Furnace –IQ with Top Cool, 36x48x30

NOTE: equipment is sold “AS IS, WHERE IS” and buyer shall indemnify seller against and hold seller harmless from any and all claims, actions and damages arising out of the possession, operation, condition or use of the equipment.

Seller suggests that you contact the manufacture for important information pertaining to safety and proper use and operation of the above equipment. For safety reasons, we request that you do not place the equipment into service until you have received current safety instructions from the manufacturer.

**Specifications are taken with care, but are not certified.
No warranties or guarantees, written or implied.**



HEAT TREAT EQUIPMENT

Quality Used Heat Treating Equipment

Item UV-1083 – Furnace –IQ with Top Cool, 36x48x30



HEAT TREAT EQUIPMENT

Quality Used Heat Treating Equipment

Item UV-1083 – Furnace –IQ with Top Cool, 36x48x30



HEAT TREAT EQUIPMENT

Quality Used Heat Treating Equipment

Item UV-1083 – Furnace –IQ with Top Cool, 36x48x30

