Manufacture:	Onspec
	High-Temp Batch Furnace
Model No.:	
	72" wide x 96" deep x 48" high
Load Height (Hearth):	
	13'4" wide x 16'6" deep x 15' high
Max Temp:	
-	Natural gas (5,000,000 BTU/hour @ 5 psig
Primary Voltage:	
Furnace Flue:	
	Fiber lined, pneumatically operated
	Fiber door, folded fiber modules in walls, roof,
	hearth and floor hard brick
Burners: (8) Eclipse, spark-ignited, U-V scanners Catalogue #84/MVTA all lower zone firing below hearth (4 left and 4 right)	
General: Eclipse combustion turbo blower model SMJ 6619 with 5 HP Baldor motor	
Maxon latch valve	
Honeywell Hi-Low pressure switch	
Honeywell fluid power gas valve	
Barber Coleman modulating control motors	
Controls: Honeywell 10" strip chart recorder	
Rex C900 temperature controller	
L&N over-temp controller / timer	
	iding control panel with push buttons & lights










Heat Treat Equipment – <u>www.heattreatequip.com</u> 42056 Michigan Ave, Canton, MI 48188 Office: (734) 331-3939 - Fax: (734) 331-3915







Heat Treat Equipment – <u>www.heattreatequip.com</u> 42056 Michigan Ave, Canton, MI 48188 Office: (734) 331-3939 - Fax: (734) 331-3915



NOTE: equipment is sold "AS IS, WHERE IS" and buyer shall indemnify seller against and hold seller harmless from any and all claims, actions and damages arising out of the possession, operation, condition or use of the equipment. Seller suggests that you contact the manufacture for important information pertaining to safety and proper use and operation of the above equipment. For safety reasons, we request that you do not place the equipment into service until you have received current safety instructions from the manufacturer. Specifications are taken with care, but are not certified.

No warranties or guarantees, written or implied.